

DISCLAIMER: All data and information contained herein are provided for informational purposes only without warranty of any kind (express or implied), including, but not limited to, any warranties of accuracy or completeness. All such data and information is preliminary, and thus, is subject to change, update and/or refinement. The District makes no representation or warranty that the information provided herein is correct, sufficient, complete or accurate. Any and all parties participating in the procurement process shall evaluate and validate any design criteria, requirements and/or other data and information provided by the District. Without exception, Respondents shall be responsible for the interpretation of all data and information provided. The District specifically disclaims responsibility or liability for any of a Respondent's interpretations and/or assumptions in developing a Proposal.

The posting of this data and information does not commit the District to issue an RFP or award a contract, nor does it commit the District to pay any cost incurred in the preparation and/or submission of a Proposal or in making necessary studies or designs for the preparation thereof. The District assumes no obligations, responsibilities, and/or liabilities, fiscal or otherwise, to reimburse all or any part of the costs incurred or alleged to have been incurred by parties participating in the procurement process or considering a response to and/or responding to an RFP. All such costs shall be borne solely by each Respondent and its team members.

The District reserves and retains all rights and conditions set forth in the RFQ (including, but not limited to, those set forth in Section 7.4 of the RFQ). By viewing the data and information contained herein, any party participating in the procurement process acknowledges and consents to the following District rights and conditions, including without limitation, with or without cause and with or without notice, the right to: (a) modify the procurement schedule; (b) suspend or terminate the procurement process for any reason whatsoever; (c) cancel, withdraw, postpone or extend any RFP, in whole or in part, at any time, without incurring any obligations or liabilities; (d) correct, amend, withdraw, supplement and/or otherwise modify data and information and any RFP issued; (e) decide not to award a DB Contract as a result of the procurement process, for any reason; (f) at any time prior to execution of the DB Contract, amend the contract services, omit services therein, or include services not currently contemplated therein; and (g) take any and all action affecting the RFP process, or the Project that is determined to be in the District's best interest.

SAR and Adjusted SAR Calculation

1. Scope, Applications and Summary of Method

The sodium adsorption ratio (SAR) uses sodium, calcium, and magnesium concentrations to determine if irrigation water is likely to cause soil permeability problems. The adjusted SAR takes into account calcium carbonate solubility. As SAR or adjusted SAR increases, soil quality tends to decrease. SAR requires sample results for sodium, calcium, and magnesium. Adjusted SAR requires sample results for sodium, calcium, magnesium, conductivity, and bicarbonate.

2. Detection and Reporting Limits

There are no reporting limit or units associated with SAR.

3. Sample Collection, Preservation and Holding Times

Since SAR and adjusted SAR require sodium, calcium, magnesium (all covered in ISOP1.03 ICP), conductivity (WCSOP2.05 Cond), and bicarbonate (WCSOP2.01 Alk&Bicarb) in order to be determined, see these SOPs for sample collection, preservation, and holding times. The shortest hold time is 14 days for bicarbonate.

4. Data Analysis and Reporting

1. SAR is calculated using the following equation:

$$\text{SAR} = \frac{[\text{Na}]}{\sqrt{\frac{[\text{Ca}] + [\text{Mg}]}{2}}},$$

where [Na], [Ca], and [Mg] are the concentrations of sodium, calcium, and magnesium respectively, given in milliequivalents per liter (meq/L). Milliequivalents per liter are calculated by multiplying the analyte concentration (in mg/L) by its valence, then dividing by atomic weight. The conversion factor for sodium is 22.99, calcium 20.04, and magnesium 12.16.

2. The adjusted SAR is calculated using the following equation:

$$\text{adjusted SAR} = \frac{[\text{Na}]}{\sqrt{\frac{[\text{Ca}_x] + [\text{Mg}]}{2}}},$$

where [Na] and [Mg] are the concentrations of sodium and magnesium respectively, given in meq/L (see above). To determine [Ca_x], first calculate the ratio of bicarbonate and calcium, [HCO₃]/[Ca] in meq/L. The formula weight of HCO₃ is 61.0. Along the left side of the Ca_x Table, find the ratio nearest the calculated ratio. Along the top of the table, find the conductivity value, in millimohs (or decisiemens/meter), nearest the measured value. The number at the intersection of this column and row is [Ca_x].

SAR and Adjusted SAR Calculation

Ratio of HCO ₃ /Ca	Conductivity (millimohs)											
	0.1	0.2	0.3	0.5	0.7	1.0	1.5	2.0	3.0	4.0	6.0	8.0
0.05	13.20	13.60	13.92	14.40	14.79	15.26	15.91	16.43	17.28	17.97	19.07	19.94
0.10	8.31	8.57	8.77	9.07	9.31	9.62	10.02	10.35	10.89	11.32	12.01	12.56
0.15	6.34	6.54	6.69	6.92	7.11	7.34	7.65	7.90	8.31	8.64	9.17	9.58
0.20	5.24	5.40	5.52	5.71	5.87	6.06	6.31	6.52	6.86	7.13	7.57	7.91
0.25	4.51	4.65	4.76	4.92	5.06	5.22	5.44	5.62	5.91	6.15	6.52	6.82
0.30	4.00	4.12	4.21	4.36	4.48	4.62	4.82	4.98	5.24	5.44	5.77	6.04
0.35	3.61	3.72	3.80	3.94	4.04	4.17	4.35	4.49	4.72	4.91	5.21	5.45
0.40	3.30	3.40	3.48	3.60	3.70	3.82	3.98	4.11	4.32	4.49	4.77	4.98
0.45	3.05	3.14	3.22	3.33	3.42	3.53	3.68	3.80	4.00	4.15	4.41	4.61
0.50	2.84	2.93	3.00	3.10	3.19	3.29	3.43	3.54	3.72	3.87	4.11	4.30
0.75	2.17	2.24	2.29	2.37	2.43	2.51	2.62	2.70	2.84	2.95	3.14	3.28
1.00	1.79	1.85	1.89	1.96	2.01	2.09	2.16	2.23	2.35	2.44	2.59	2.71
1.25	1.54	1.59	1.63	1.68	1.73	1.78	1.86	1.92	2.02	2.10	2.23	2.33
1.50	1.37	1.41	1.44	1.49	1.53	1.58	1.65	1.70	1.79	1.86	1.97	2.07
1.75	1.23	1.27	1.30	1.35	1.38	1.43	1.49	1.54	1.62	1.68	1.78	1.86
2.00	1.13	1.16	1.19	1.23	1.26	1.31	1.36	1.40	1.48	1.54	1.63	1.70
2.25	1.04	1.08	1.10	1.14	1.17	1.21	1.26	1.30	1.37	1.42	1.51	1.58
2.50	0.97	1.00	1.02	1.06	1.09	1.12	1.17	1.21	1.27	1.32	1.40	1.47
3.00	0.85	0.89	0.91	0.94	0.96	1.00	1.04	1.07	1.13	1.17	1.24	1.30
3.50	0.78	0.80	0.82	0.85	0.87	0.90	0.94	0.97	1.02	1.06	1.12	1.17
4.00	0.71	0.73	0.75	0.78	0.80	0.82	0.86	0.88	0.93	0.97	1.03	1.07
4.50	0.66	0.68	0.69	0.72	0.74	0.76	0.79	0.82	0.86	0.90	0.95	0.99
5.00	0.61	0.63	0.65	0.67	0.69	0.71	0.74	0.76	0.80	0.83	0.88	0.93
7.00	0.49	0.50	0.52	0.53	0.55	0.57	0.59	0.61	0.64	0.67	0.71	0.74
10.0	0.39	0.40	0.41	0.42	0.43	0.45	0.47	0.48	0.51	0.53	0.56	0.58
20.0	0.24	0.25	0.26	0.26	0.27	0.28	0.29	0.30	0.32	0.33	0.35	0.37
30.0	0.18	0.19	0.20	0.20	0.21	0.21	0.22	0.23	0.24	0.25	0.27	0.28

Ca_x Table

This calculation is set up in the spreadsheet located at W:\Spreadsheets\IONS_SAR Rev.2.00.xls. An alternative procedure which does not require a lookup table, is included on the same spreadsheet. The background and justification for this calculation is described in Reference (5).

3. Results are entered into the LIMS as follows:

- a. Create a LIMS batch. At DataEntry/Review, create a Data Entry Table for the batch and save it as a user file.
- b. Enter the date of analysis, result, instrument (CALC), and qualifiers for each sample, save the user file, then post the data.
- c. At Data Entry/Review, query the batch. Check results. Add appropriate qualifiers. After the batch has been checked over, lock the data and update status to Analyzed.

5. References/Method Source

SAR and Adjusted SAR Calculation

1. Hanson, Blaine R., "Estimating the Sodium Adsorption Ratio". *Agricultural Salinity and Drainage*. Received via FAX transmittal from the Department of Land, Air, and Water Resources, University of California, Davis 6/4/01
2. Hanson, Blaine R.; Bowers, Wilbur; Grattan, Stephen R.; Grimes, Donald W.; and Tanji, Kenneth K.. "Trace elements limit potential for blending San Joaquin drainwater with canal water". *California Agriculture*, March-April 1991
3. "Interpretation of Irrigation Water Analyses", A & L Agricultural Laboratories, 1977
4. "Water Quality for Agriculture", Food and Agriculture Organization of the United Nations. Received from Stephen Grattan, University of California, Davis, 12/8/89.
5. Lesch SM, Suarez DL. Technical Note: A Short Note on Calculating the Adjusted SAR Calculation. *American Society of Agricultural and Biological Engineers*. 2009; 52(2):493-496
6. Ayers RS, Westcot DW. *Water Quality for Agriculture*, 29, Rev. 1. Rome, Italy: Food and Agricultural Organization of the UN; 1985: Chapter 3. Infiltration.
<http://www.fao.org/docrep/003/t0234e/T0234E04.htm#ch3>. Accessed November 12, 2012.